EXHIBIT 8-3

EROSION CONTROL & STORMWATER POLLUTION PREVENTION PLAN CHECK LIST

An erosion control plan is required for all grading of 1 acre or more or 500 cubic yards or more and any grading within or adjacent to a watercourse defined as a major facility during the months of June, July, August or September. The plan shall provide for erosion control and safe passage of the 100-year 6-hour design storm runoff during the construction phase.

Instructions - Fill out <u>all that is applicable</u> and relevant, submit this checklist with the Erosion Control Plan and or the Grading and Drainage Plan

Date: _____ Erosion Control Plan Name: _____ Consultant / Designers Name: _____ Consultant / Designers Telephone Number: _____

Erosion Control Plan General Format / Checklist:

Ite	em and Description	Consultant	Reviewer
		(put "Y" yes or "NA" not applicable	(put "Y" yes adequate or comment or reference a "footnote" for review letter
GI	ENERAL		
1. 2.	Title Block with Project Title Designers Signature and Date		
R	DUGH GRADING		
1. ou	Grading Plan with limits of soil disturbance tlined		
2.	Erosion Protection Indicated		
3.	Supporting data, calculations, references and details drawn to scale or adequately dimensione	ed	
4.	Erosion control notes:		
a.	The contractor is to ensure that no soil erodes		

	from the site onto adjacent property or public right-of-way. This should be achieved by wetting the soil to protect it from wind erosion and by installation of berms per detail this sheet.	
b.	At all time, but especially during the months of June, July, August or September, any grading within or adjacent to a watercourse defined as a major facility shall provide for erosion control and safe passage of the 100-yr. 6-hour design storm runoff during the construction phase.	
c.	Contractor shall conform to all City, County, State and Federal dust control requirements and is responsible for preparing and obtaining all necessary applications and approvals.	
d.	All graded areas which do not receive a final surface treatment will be revegetated in accordance with New Mexico APWA Standard Specification 1012 and the Landscape Specifications	
e.	Contractor shall obtain and abide by a Topsoil Disturbance Permit from the local jurisdiction. The cost for required construction dust and erosion control measures are incidental to construction.	
PH	IASED DEVELOPMENT	
1.	Grading Plan with limits of soil disturbance outlined for each phase of development and numbered in sequential order of events.	
2.	Erosion protection indicated for each phase.	
3.	Supporting data, calculation, references and detail drain to scale or adequately dimensioned.	

CONSTRUCTION AND PERMANENT PHASE

1.	Grading Plan with limit of soil disturbance outlined.	
2.	Erosion protection indicated.	
3.	Supporting data, calculations, references and detail drawn to scale or adequately dimensioned.	