

Table of Contents

Revised 4/2010

Chapter 22

	PAGE
DRAINAGE, FLOOD CONTROL AND EROSION CONTROL.....	22-1
Section 1. INTENT & SUPPORT DOCUMENTS.....	22-1
A. Goals, Mission Statement and Vision Statement.....	22-1
B. Summary of Documents Relating to Drainage, Flood Control and Erosion Control ..	22-2
Section 2. HYDROLOGY	22-3
A. Preface.....	22-3
B. Introduction.....	22-5
C. Symbols and Definitions.....	22-6
D. Rational Method.....	22-14
D.1 INTRODUCTION.....	22-14
D.2 ASSUMPTIONS	22-14
D.3 LIMITATIONS	22-14
D.4 RUNOFF COEFFICIENTS	22-15
D.5 TIME OF CONCENTRATION	22-18
D.6 INTENSITY	22-18
D.7 RUNOFF VOLUME	22-19
D.8 RUNOFF HYDROGRAPH	22-20
D.9 PROCEDURE	22-21
D.10 EXAMPLE.....	22-22
E. Rainfall-Runoff Modeling: AHYMO	22-27
E.1 INTRODUCTION.....	22-27
E.2 DESIGN RAINFALL CRITERIA	22-27
E.3 RAINFALL LOSS	22-30
E.4 UNIT HYDROGRAPH.....	22-35
E.5 CHANNEL ROUTING.....	22-46
E.6 SEDIMENT BULKING.....	22-48
F. Rainfall-Runoff Modeling: HEC-HMS	22-49
F.1 INTRODUCTION.....	22-49
F.2 DESIGN RAINFALL CRITERIA	22-49
F.3 RAINFALL LOSS	22-57
F.4 UNIT HYDROGRAPH.....	22-62
F.5 CHANNEL ROUTING.....	22-70
F.6 SEDIMENT BULKING.....	22-73
F.7 HEC-HMS EXAMPLE	22-74
G. Procedure for Probable Maximum Flood	22-100
G.1 JURISDICTION OF THE OFFICE OF THE STATE ENGINEER (OSE). 22-100	

H.	Use of Alternate Procedures	22-100
H.1	PROGRAMS FOR ALTERNATE PROCEDURE ACCEPTANCE.....	22-101
H.2	BIBLIOGRAPHY	22-102
Section 3.	HYDRAULIC DESIGN.....	22-111
A.	Weirs and Orifices	22-111
A.1.	Weirs	22-111
A.2.	Orifices	22-112
B.	Criteria for Hydraulic Design: Closed Conduits.....	22-112
B.1.	General Hydraulic Criteria	22-112
B.2.	Water Surface Profile Calculations	22-113
B.3.	Special Cases.....	22-121
B.4.	Design Requirements for Maintenance and Access	22-122
B.5.	Other Closed Conduit Criteria.....	22-126
C.	Criteria for Hydraulic Design: Open Channels.....	22-131
C.1.	General Hydraulic Criteria	22-131
C.2.	Water Surface Profile Calculations	22-131
C.3.	Curving Alignments	22-146
D.	Storm Inlets.....	22-154
D.1.	Design Q.....	22-154
E.	Street Hydraulics.....	22-174
F.	Berms and Levees	22-178
G.	Miscellaneous Hydraulic Calculations	22-179
H.	Sediment Transport and Channel Stability	22-206
Section 4.	CHANNEL TREATMENT SELECTION GUIDELINES.....	22-213
A.	General.....	22-213
B.	Flood Control	22-213
C.	Drainage.....	22-213
D.	Maintenance.....	22-213
E.	Rights-of-Way and Easements.....	22-214
F.	Safety	22-214
G.	Upstream and Downstream Channel Treatments	22-214
H.	Initial Cost and Life Expectancy.....	22-214
I.	Joint Use Possibilities	22-214
Section 5.	DESIGN GRADING AND EROSION CONTROL.....	22-215
A.	Slope Criteria	22-215
B.	Grading near the Property Line.....	22-215
C.	Grading In and Adjacent to Major Facilities	22-215
D.	Grading in a Floodplain	22-215
E.	Violations As To Construction Or Site Alteration.....	22-215
F.	Erosion and Stormwater Pollution Control.....	22-216
G.	Means of Erosion Control.....	22-217
H.	Pond/Dam Design (City/SSCAFCA Maintained Facilities).....	22-217

I.	Temporary Ponds	22-219
J.	Private Storm Drain Improvements Within Public Rights-of-Way and/or Easement.....	22-219
Section 6.	RIGHTS-OF-WAY, EASEMENTS AND COVENANTS	22-221
A.	Rights-of-Way - Introduction	22-221
B.	Fee Simple ROW	22-221
C.	Easements	22-222
D.	Drainage Covenants	22-226
E.	Encroachment Agreements	22-231
F.	Joint-Use, Shared Maintenance and Common-Area Considerations.....	22-231
G.	Land-Areas; Configuration Criteria.....	22-234
H.	Criteria for Vacating SCAFCA's Rights-of-Way/Easements	22-236
I.	Vacation Procedure for Rights-of-Way and Easements	22-236
Section 7	PROCEDURES FOR DRAINAGE SUBMITTALS.....	22-238
A.	Procedures for Drainage Submittals	22-238
B.	Procedure for Storm Drainage Infrastructure Allocation.....	22-244
Section 8.	SUPPLEMENTARY MATERIALS FOR DRAINAGE SUBMITTALS ...	22-252
A.	Drainage Submittal Format.....	22-252
1.	Introduction	22-252
2.	Conceptual Grading and Drainage Plan	22-252
3.	Drainage Report	22-252
4.	Grading and Drainage Plan	22-252
B.	Drainage Report Outline	22-253
C.	Grading and Drainage Plan Checklist.....	22-265
GENERAL INFORMATION:	22-265
EXISTING CONDITIONS.....		22-266
PROPOSED CONDITIONS.....		22-266
D.	Erosion Control and Stormwater Pollution Prevention Plans Checklist.....	22-271
E.	Engineer's Certification Checklist for Non-Subdivision Development	22-276
F.	Procedures for Development Review and Approval	22-281
Section 9.	MISCELLANEOUS.....	22-289
A.	Maintenance Standards	22-289
B.	Utilities in SCAFCA ROW	22-290
C.	Watershed Park/Quality of Life Plan.....	22-296
D.	Lateral Erosion Envelope.....	22-296
Section 10.	STORM WATER POLLUTION CONTROL.....	22-298
A.	General.....	22-298
B.	Applicability	22-298
C.	Structural Treatment Control Best Management Practices.....	22-298
D.	Criteria for Designing Structural Treatment Control BMPs.....	22-299

LIST OF TABLES

TABLE D-1. LAND TREATMENTS	22-15
TABLE D-2. RATIONAL METHOD RUNOFF COEFFICIENT, C.....	22-16
TABLE D-3. SSCAFCA TREATMENT TYPE PERCENTAGE SUMMARY.....	22-17
TABLE D-4. CONVEYANCE FACTORS.....	22-18
TABLE D-5. RAINFALL INTENSITY.....	22-19
TABLE D-6. RECURRENCE INTERVAL POINT PRECIPITATION DEPTHS	22-20
TABLE E-1. RECURRENCE INTERVAL POINT PRECIPITATION DEPTHS.....	22-28
TABLE E-2. LAND TREATMENTS	22-31
TABLE E-3. SSCAFCA TREATMENT TYPE PERCENTAGE SUMMARY	22-32
TABLE E-4. INITIAL AND CONSTANT LOSS PARAMETERS.....	22-34
TABLE E-5. CONVEYANCE FACTORS	22-37
TABLE E-6. LAG EQUATION BASIN FACTORS	22-38
TABLE E-7. MANNING’S ROUGHNESS COEFFICIENTS	22-47
TABLE F-1. RECURRENCE INTERVAL POINT PRECIPITATION DEPTHS.....	22-50
TABLE F-2. LAND TREATMENTS.....	22-58
TABLE F-3. SSCAFCA TREATMENT TYPE PERCENTAGE SUMMARY	22-59
TABLE F-4. INITIAL AND CONSTANT LOSS PARAMETERS	22-60
TABLE F-5. CONVEYANCE FACTORS.....	22-64
TABLE F-6. LAG EQUATION BASIN FACTORS	22-64
TABLE F-7. MANNING’S ROUGHNESS COEFFICIENTS	22-72
TABLE 10-1. MINIMUM STORM WATER QUALITY CONTROL MEASURES FOR PRIORITY PROJECTS.....	22-300
TABLE 10-2. WATER QUALITY STORM EVENT RUNOFF RATE AND VOLUME AS A PERCENT OF IMPERVIOUS AREA FOR 40-ACRE AND SMALLER SITES.....	22-301

LIST OF FIGURES

FIGURE D-1. RATIONAL METHOD RUNOFF HYDROGRAPH SHAPE	22-21
FIGURE E-1. 100-YR 6-HR RAINFALL HYETOGRAPH.....	22-29
FIGURE E-2. REPRESENTATION OF RAINFALL LOSS METHODOLOGY.....	22-33
FIGURE E-3. AHYMO DIMENSIONLESS UNIT HYDROGRAPH.....	22-36
FIGURE F-1. 100-YR DEPTH-AREA REDUCTION FACTORS	22-51
FIGURE F-2. 100-YR 6-HOUR RAINFALL HYETOGRAPH.....	22-53
FIGURE F-3. EXAMPLE WATERSHED MAP	22-54
FIGURE F-4. EXAMPLE WATERSHED DEPTH-AREA REDUCTION.....	22-55
FIGURE F-5. 100-YR 6-HOUR RAINFALL HYETOGRAPH.....	22-57
FIGURE F-6. REPRESENTATION OF THE INITIAL AND CONSTANT LOSS METHODOLOGY	22-60
FIGURE F-7. INFLUENCE OF WATERSHED STORAGE ON THE RUNOFF HYDROGRAPH.....	22-68
FIGURE F-8. EXAMPLE WATERSHED MAP	22-74
FIGURE F-9. EXAMPLE WATERSHED DEPTH-AREA REDUCTION.....	22-78
FIGURE F-10. 100-YEAR, 6-HOUR RAINFALL HYETOGRAPH.....	22-80

FIGURE F-11. EXAMPLE WATERSHED LAND USE CONDITIONS	22-84
FIGURE F-12. EXAMPLE WATERSHED FLOW PATHS	22-88
FIGURE F-13. EXAMPLE WATERSHED ROUTING REACHES	22-91
FIGURE F-14. REACH 100-R CROSS SECTIONAL GEOMETRY	22-92
FIGURE F-15. REACH 110-R CROSS SECTIONAL GEOMETRY	22-92
FIGURE F-16. 8-POINT GEOMETRY FOR REACH 100-R.....	22-93
FIGURE F-17. 8-POINT GEOMETRY FOR REACH 110-R.....	22-93

LIST OF PLATES

PLATE 22.3 B-1 VALUES OF MANNING'S n.....	22-116
PLATE 22.3 B-2 TRANSITION HEAD LOSS	22-118
PLATE 22.3 B-3 BEND LOSSES.....	22-120
PLATE 22.3 B-4 LOCATION OF TRANSITION.....	22-123
PLATE 22.3 B-5 FACTORS FOR CLOSED CONDUITS FLOWING FULL	22-127
PLATE 22.3 C-1 CONVERGING TRANSITION – SUPERCRITICAL FLOW	22-138
PLATE 22.3 C-2 BRIDGE PIER LOSSES BY THE MOMENTUM METHOD	22-142
PLATE 22.3 C-3 APPROXIMATE BRIDGE PIER LOSSES BY MOMENTUM METHOD..	22-143
PLATE 22.3 C-4 APPROXIMATE BRIDGE PIER LOSSES BY MOMENTUM METHOD..	22-144
PLATE 22.3 C-5 ROLL WAVES	22-150
PLATE 22.3 C-6 ROLL WAVES	22-151
PLATE 22.3 C-7 ROLL WAVES	22-152
PLATE 22.3 D-1 STREET CAPACITY	22-157
PLATE 22.3 D-2 STREET CAPACITY	22-158
PLATE 22.3 D-3 STREET CAPACITY	22-159
PLATE 22.3 D-4 STREET CAPACITY	22-160
PLATE 22.3 D-5 GRATING CAPACITIES FOR TYPE “A”, “C” AND “D”	22-161
PLATE 22.3 D-6 GRATING CAPACITIES FOR TYPE DOUBLE “C” AND “D”	22-162
PLATE 22.3 D-7 GRATING CAPACITIES FOR TYPE “B”	22-163
PLATE 22.3 D-8 DESIGN OF SPUN CONCRETE CONNECTOR PIPE FLOWING FULL..	22-165
PLATE 22.3 D-9 CATCH BASIN V - DEPTH	22-166
PLATE 22.3 D-10 CALCULATION SHEET	22-167
PLATE 22.3 D-11 EXAMPLE CATCH BASIN HYDROLOGY PROBLEM	22-168
PLATE 22.3 D-12 OPTIMUM SPACING OF STORM INLETS ON A CONTINUOUS GRADE.....	22-169
PLATE 22.3 E-1 TAIL WATER DEPTH VS. D_1	22-176
PLATE 22.3 E-2 LENGTH OF JUMP IN TERMS OF D_1	22-177

NOTICE

This document was a collective effort by several individuals and, while every effort was made to provide a superior product, some errors or inconsistencies may exist. Please assist us by reporting every error or inconsistency that you find. Corrections will be made periodically and each page will be updated and corrections logged in an internal tracking system. The official office copy and the web site version will have all of the latest changes and it is recommended that you check either of these sources when periodically and starting a new project.